

CITY OF ROSSLAND

INVITATION TO TENDER 2017 TANDEM DUMP TRUCK

TABLE OF CONTENTS

Table of Contents	(Page 1)
Introduction and Inquiries	(Page 2)
Instructions to Bidders	(Pages 3 to 6)
Evaluation of Bids	(Pages 6 to 7)
Acceptance of Bids	(Pages 6 to 8)
Purchase Order	(Pages 8 to 9)
Schedule "A" – Minimum Specifications	(Pages 10 to 19)
Schedule "B" - Tender Form	(Pages 20 to 21)
FL106 and FL70 Trade in Pictures	(Page 22)

Prepared by:

**The City of Rossland
Operational Services**

PO Box 1179
1778 – 3rd Avenue
Rossland, BC V0G 1Y0
Telephone: 250-362-7396 ext. 1237
Fax: 250-362-5451
Attention: Darrin Albo
Manager of Operations

1.0 INTRODUCTION

The City of Rossland is accepting bids (“**Bids**”) from interested bidders (“**Bidders**”) for the supply, assembly and delivery FOB Public Works Yard, 1778, 3rd Avenue, Rossland, B.C. of one (1) **2017 Tandem Dump Truck** meeting the Minimum Specifications forming part of this Tender as Schedule “A” (the “**Equipment**”).

2.0 INQUIRIES

Any and all inquiries concerning this Tender must be submitted in writing to the following City representative (the “**Contact Person**”):

Darrin Albo
Manager of Operations
City of Rossland,
1899 – Columbia Avenue,
PO Box 1179, Rossland, BC V0G 1Y0
Email: darrin@rossland.ca
Fax Number: (250) 362-5451
Phone: (250) 362-7396 ext. 1237

Information that is offered by or obtained from sources other than the Contact Person, including any other representative of the City, is not official, may be inaccurate, and may not be relied on in any way by any Bidder.

No verbal agreement or conversation made or had at any time with an officer, agent or employee of the City shall affect or modify any terms or obligations stated herein or deemed to be any representation or warranty of the City.

Bidders should submit requests for clarifications to the Contact Person no later than three (3) days before the Closing Date and Time. By submitting a Bid, the Bidder waives any right to rectify, clarify, amend or qualify any aspect of this Tender.

3.0 INSTRUCTIONS TO BIDDERS

3.1 Tender Issue Date May 17, 2017

3.2 Closing Location

City of Rossland
City Hall
Reception Desk
1899 – Columbia Avenue
Rossland, BC V0G 1Y0

3.3 Closing Date and Time 2:00 p.m. (Local Time), May 31, 2017.

3.4 Submission of Bids

Bidders who are interested and capable of supplying the Equipment shall submit one (1) original signed Bid and one (1) copy of the original signed Bid, marked "Copy", together in a single sealed envelope clearly marked on the face of the envelope with the Bidder's name and address and the project title: "**2017 Tandem Dump Truck Tender**".

Bids must be delivered to the Closing Location by the Closing Date and Time. Bids received after the Closing Date and Time will be rejected and returned unopened.

Bids submitted via fax, email or other electronic means will not be accepted nor considered.

The date and time recorded by the City upon submission of a Bid will take precedence over any machine initiated date and time information on Bids or revisions.

Bids will be opened publicly.

3.5 Addenda

If a change to this Tender is required, the change will be communicated by means of written addenda prior to the Closing Date and Time. Addenda will be posted on the City's website at www.rossland.ca/home and on the BC Bid website at <https://www.bcbid.gov.bc.ca/> and will be available, upon request, from the Contact Person.

It is the sole responsibility of Bidders to ensure that they have obtained, prior to the Closing Date and Time, all addenda issued by the City. The City assumes no responsibility for notifying individual Bidders of the existence of addenda.

Bidders must acknowledge receipt of all addenda on the Tender Form attached to this Tender as Schedule "B". By submission of a Bid, the Bidder acknowledges receipt of any and all addenda issued by the City.

3.6 Tender Form

Bidders must complete the Tender Form contained in Schedule "B" of this Invitation to Tender and include it with their Bid. The Tender Form is the only part of this Invitation to Tender that must be included in a Bid.

Any alteration, qualification or omission to the Tender Form may result in the Bid being rejected by the City.

All erasures or corrections to the Tender Form should be initialed.

The Tender Form must be signed by a person authorized to sign on behalf of the Bidder and to bind the Bidder to its Bid. Any unsigned Bid will be rejected.

In the event of any discrepancies between the individual prices and the total bid amounts on the Tender Form, then the individual prices will be deemed to be correct and the total bid amounts will be corrected.

3.7 Withdrawal or Revision of Bid

By submission of a clear and detailed written notice, a Bidder may amend or withdraw its Bid prior to the Closing Date and Time. After the Closing Date and Time, all Bids become irrevocable.

3.8 Ownership of Bids

All Bids and other documents submitted to the City become the property of the City. They will be received and held in confidence by the City, subject to the provisions of the *Freedom of Information and Protection of Privacy Act*.

3.9 Validity of Bids

Bids must remain open for acceptance by the City for a period of 90 days after the Closing Date and Time.

3.10 Patents, Rights and Royalties

The successful Bidder shall assume all costs and liabilities, and shall hold the City harmless in any action which may arise in case of infringement of any protected rights in respect of any part, design, process or method related to the Equipment supplied under this Tender.

3.11 Bidder's Acknowledgement & Understanding

In submitting a Bid, the Bidder acknowledges having read, understood and agreed to all the terms and conditions of this Tender.

3.12 Bids Failing to Conform and Collusion

Bids which contain qualifying conditions or otherwise fail to conform to these instructions may be disqualified or rejected, at the discretion of the City. Collusion between Bidders will be sufficient cause for rejection of all Bids so affected.

3.13 Solicitations of Members of Council and Committees

Bidders are cautioned that solicitations of members of the Council or any committee or commission formed by or associated with the City at any time prior to the award of the contract for this Tender, will be cause for rejection of a Bid as this will be viewed as that of a Bidder seeking an unfair advantage over other Bidders.

3.14 Conflict of Interest

At no time shall a City employee or member of Council or appointed committees and commissions be in any way connected with the Bidder or the supply of the Equipment under this Tender. A Bidder must disclose in its Bid and at any subsequent time where requested to do so, any actual or potential conflicts of interest and existing business relationships it may have with the City, its elected or appointed officials or employees. Bidders who are considered by the City, in its absolute discretion, to be in a conflict of interest with the City will be rejected.

The successful Bidder shall not hire or use the City's employees at any time for the provision fabrication, secretarial, clerical or any other service required, in part or whole, for the supply of the Equipment under this Tender.

3.15 Law

The Bids and any resultant Purchase Order shall be governed by and construed in accordance with the laws of the Province of British Columbia, Canada, which shall be deemed the proper law thereof.

3.16 Preparation Costs

All costs associated with the preparation and submission of a Bid shall be borne solely by the Bidder.

Bidders are solely responsible for their own expenses in preparing a Bid. If the City elects to reject all Bids, the City will not be liable to any Bidder for any claims, whether for costs or damages incurred by the Bidder in preparing the Bid, loss of anticipated profit in connection with any final contract, or any other matter whatsoever.

3.17 Disclaimers of Liability

Except as expressly and specifically permitted in this Tender, no Bidder shall have any claim for any compensation of any kind whatsoever, as a result of participating in this Tender, and by submitting a Bid, each Bidder waives any claim for compensation or for recovery for loss of profits or any prospective damages whatsoever and shall be deemed to have agreed that it has no such claim.

Neither acceptance of a Bid nor execution of a Purchase Order shall constitute approval of any activity or development contemplated in any tender that requires any approval, permit or license pursuant to any federal, provincial, municipal statute, regulation or bylaw. It is the responsibility of the successful Bidder to obtain such, prior to delivery of the Equipment.

3.18 Freedom of Information and Protection of Privacy Act

The City is bound by the provisions of the *Freedom of Information and Protection of Privacy Act*. Bidders are therefore advised that any Bid submitted in response to this Invitation to Tender will be treated as a public document and the contents therein may be disclosed by the City upon written request if it is required to do so pursuant to that Act.

4.0 EVALUATION OF BIDS

The City will evaluate all valid Bids received by the Closing Date and Time, and select a Bid which provides the City with the lowest cost and best overall value. Bids will be evaluated solely on the basis of the information they contain and Bidders must adhere to the content and format requirements specified in this Tender.

In evaluating Bids, the City will consider the following:

- Total Cost
- Compliance with the required specifications
- Long term cost viability for the City of Rossland
- References

Prices: Tender prices must be in Canadian funds and include duty, assembly, delivery and other associated charges. Prices are to be FOB destination, *Public Works Yard, 1778, 3rd Avenue, Rossland, BC.*

Minimum Specifications: The Equipment must have a 20,000lb steer axle and tandem rear axles rated 20,000lb each. The unit shall be equipped with an end dump hydraulic lift box with air assist tarp and hydraulic lift gate. In addition, the Equipment must meet, and will be evaluated on the Minimum Specifications detailed in Schedule "A", including any equivalent substitutions accepted by the City, and the criteria set out in this Section 4.0.

Substitutions: Equivalent substitutions from the Minimum Specifications will be considered if full descriptive data on the proposed substitutions are submitted with the Bid. The City reserves the right, at its sole discretion, to determine whether any proposed substitution is equivalent to the Minimum Specifications.

Optional Items: Optional Items, if any, must be listed on the Tender Form in Schedule "B" along with the associated costs, however option items will not be considered in the evaluation of the bids.

Delivery: Delivery must be no later than September 1, 2017.

Trade-In: The City wishes to trade-in one 2000 Freightliner FL106 Tandem Dump (vin 1FVX8HCB2YHG18055) with 160,000km and 8,800hrs. The unit is equipped with a 16 foot Lang Fab end dump box including a hydraulic high lift rear gate and an air assist tarp.

Also a second unit, one 1998 Freightliner FL70 Flat Deck (vin 1FV6HFBA5XHA69653) with 23,600km and 1,035hrs. Bidders must specify in the location provided on the Tender Form in Schedule "B" the trade-in allowance, if any, to be given. Pictures of units on page 22.

5.0 ACCEPTANCE OF BIDS

Lowest Tender

The lowest or any Bid will not necessarily be accepted. Notwithstanding any other provision in this Tender, any practice or custom in the industry, or any procedures or guidelines recommended for use on publicly funded projects, the City, in its sole discretion, shall have the unfettered right to determine the Bid which provides the best overall value to the City, regardless of whether that is the lowest price Bid and to:

1. reject any Bid;
2. reject all Bids;
3. accept a Bid which is not the lowest price Bid;
4. reject a Bid even if it is the only Bid received; or
5. award multiple contract to more than one Bidder

Qualifications

Bids that contain qualifying conditions or otherwise fail to conform to these Instructions to Bidders may be rejected. The City shall be the sole judge as to the acceptability of any minor omission, irregularity, insufficiency, or informality with regard to content, form, submission process or any other matter or as to the suitability of any material accompanying a Bid and whether or not any such condition should be waived.

Previous Legal Actions

The City may, in its absolute discretion, reject any Bid submitted by a Bidder if the Bidder or any officer or director of the Bidder is or has been engaged either directly or indirectly through another corporation in a legal action against the City or its elected or appointed officers or employees in relation to any other contract for works or service.

Budget

In the event that all Bids received exceed the City's budgetary expectations, the City reserves the right to cancel this Tender and, at the discretion of the City, either issue a new tender for the Equipment on different specifications or negotiate a contract directly with any Bidder or with any other firm whether or not it submitted a Bid.

6.0 PURCHASE ORDER

The City will not be obligated in any manner to any Bidder whatsoever until a Purchase Order has been issued by the City to the successful Bidder (the "**Supplier**") to supply the Equipment specified in this Invitation to Tender. The Purchase Order, along with the terms and conditions of this Tender and those of the Supplier's accepted Bid, shall constitute the contract between the successful Bidder and the City for the supply of the Equipment. The following terms and conditions shall apply to the Purchase Order:

- a) the terms and conditions of this Tender and of the Supplier's accepted Bid are incorporated into and shall form part of the terms and conditions of the Purchase Order;
- b) the Supplier must promptly notify the City if the order cannot be filled.
- c) the City reserves the right to cancel the Purchase Order if promised or specified delivery is not met or if the Equipment fails to meet the specifications of the Tender. Over shipments against the order may be returned with all freight charges to the Supplier's account. Order numbers

must be shown on all invoices, packing slips and packages. Shipments must be accompanied by a properly completed delivery slip.

- d) the City has the right of inspection and approval. Inspection by the City of advance samples shall not constitute final acceptance and the Supplier will remain bound by any warranties set out in the Tender including the specification requirements. No substitutions are permitted unless previously agreed to by the City and confirmed in writing.
- e) the Supplier must indemnify the City against any claim of any person, firm, or corporation alleging that the supply of the Equipment by the Supplier to the City constitutes an infringement of patent rights, copyright or any other intellectual property rights.
- f) the Supplier is an independent contractor and must indemnify, protect, and save harmless the City, its agents, employees, successors and assigns from any and all damage, liabilities and claims of whatsoever nature arising out of the furnishing by the Supplier, its agents or employees, of the Equipment covered by this Purchase Order or incidental or ancillary thereto.
- g) the Supplier must not change prices, terms or conditions as specified in this Tender or in the Supplier's accepted Bid without the prior written permission of the City.
- h) this Purchase Order is governed by the laws of the Province of British Columbia.
- i) the City will endeavor to pay the Supplier within 30 days of either the receipt of the invoice or acceptance of the Equipment, whichever comes later.
- j) time will be of the essence in this Purchase Order.
- k) the Supplier must comply with all applicable laws in providing the Equipment.
- l) the City is dedicated to successful negotiation to resolve any conflict arising in the performance of this Purchase Order. In the event of unsuccessful informal negotiations however, all disputes arising out of or in connection with this Purchase Order, or in respect of any defined legal relationship associated therewith or derived there from, will be referred to and finally resolved by arbitration.

SCHEDULE "A"

MINIMUM SPECIFICATIONS

REQUIREMENTS	COMPLY		COMMENTS
	YES	NO	
1. General Requirements			
1.1 The following are requirements for a current model year tandem dump truck. (State make, model and year of manufacture).	_____	_____	_____
2. Capacity			
2.1 Steer axle 20,000lbs	_____	_____	_____
2.2 Rear axles (each) 20,000lbs	_____	_____	_____
2.3 GVWR 60,000lbs	_____	_____	_____
3. Engine			
3.1 Electronically controlled diesel engine. Rating 330hp & 1000ftlb torque. (State horsepower, torque rating and manufacturer). The manufacturer of the engine provides quality assurance checks of the engine assembly and application.	_____	_____	_____
3.2 2017 emission compliant with 3 stage engine brake(low, med, high).	_____	_____	_____
3.3 Fuel injection system with electronic control.	_____	_____	_____
3.4 State fuel economy if available.	_____	_____	_____
3.5 Lubricant, fuel and coolant filters spin on type.	_____	_____	_____

-
- 3.6 Fuel water separator. _____
- 3.7 HD radiator and transmission cooler – must meet engine and transmission cooling requirements with extended life coolant. _____
- 3.8 Horton drive master fan drive. _____
- 3.9 Block heater(1000w), wired to left side of cab. _____
- 3.10 Two stage dry type air filters with clogging indicator. _____

4. Electrical system

- 4.1 12 volt starter. _____
- 4.2 Alternator 160 amp. _____
- 4.3 Lighting system 12 volt with circuit protection, LED lamps where possible. _____
- 4.4 Low oil pressure, high coolant temperature and low coolant liquid shutdown system. _____
- 4.5 Wiring – circuits to be numbered and/or color coded. All wiring from back of cab to be sealed. Must have minimum 2 integrated auxiliary switches in dash. _____
- 4.6 Batteries – minimum 2, group 31 12 volt maintenance free, threaded stud. _____
- 4.7 Battery box to be frame mounted and covered. _____
- 4.8 2 LED backup lamps and a backup alarm (max 97dBA). _____

5. Transmission

- 5.1 Allison 3000 RDS with PTO provision and 4th generation controls. _____
- 5.2 Close ratio 6 speed push button electronic shift control. _____

5.3 Transmission cooler and temperature gauge.

5.4 PTO mounting left side of transmission.

5.5 Synthetic transmission fluid.

6. Front Axle

6.1 Front axle 20,000lb capacity (specify make).

6.2 20,000lb taper leaf front suspension with maintenance free rubber bushings.

6.3 HD front shock absorbers.

6.4 Front drum brakes (16.5 x 6) with dust shields and automatic slack adjusters.

6.5 Vented front hub caps with window center and side oil fill plugs.

6.6 Power steering (dual gear) with a 4 quart see through reservoir. (specify make and model of steering gear).

6.7 Short turning radius. (specify turning radius).

7. Rear Axle

7.1 Rear tandem axles with 40,000lb rating. (state make and model).

7.2 Forward drive axle to have lube pump and filter.

7.3 Rear axle ratio 6.14

7.4 Tandem axle power divider lock with switch in cab.

7.5 Driver controlled traction differential – both axles, switch in cab.

7.6 Airliner 40,000lb extra duty rear suspension with chain clearance.

7.7 Manual dump valve for air suspension located in dash.

7.8 Single air rear suspension levelling valve.

7.9 Rear drum brakes (16.5 x 7) with dust shields and automatic slack adjusters.

7.10 Long stroke 30/30 spring brake chambers on rear axles.

8. Brake System

8.1 Air compressor 19cfm (minimum) capacity and air governor (state make).

8.2 Brake system, dual air with one valve parking brake application.

8.3 Wabco SS-1200 air drier with heater.

8.4 ABS without traction control.

8.5 Steel air tanks with petcock drain on all tanks.

9. Wheel Rims and Tires

9.1 All rims to be steel disk, 10-hub pilot, 22.5" diameter to suit GVWR & painted white (state rim make and size).

9.2 Steer tires Michelin XZY-3 425/65R22.5 20ply radial.

9.3 Traction tires Michelin XDE M/S 11R22.5 16ply radial.

10. Frame

10.1 Frame to be suitable to handle dump box (no trailer hitch or connections needed).

10.2 Two front, frame mounted tow hooks.

10.3 Painted steel front bumper with license plate holder.

10.4 Front and rear mud flaps.

11. Fuel tank(s)

11.1 Fuel tank capacity 60gallon, DEF tank capacity 13 gallon. Please state location of diesel fuel tank and DEF tank.

12. Cab and Equipment

12.1 Conventional steel cab.

12.2 Cab and hood exterior color white with clear coat, interior with sound suppression.

12.3 2 Roof mounted LED strobes

12.4 Cab mount, air preferred (state).

12.5 Front fender extensions.

12.6 Interior/exterior grab handles on left and right entry points.

12.7 Fiberglass forward tilting hood.

12.8 Air horn and electric horn.

12.9 Door locks and ignition switch keyed alike. One set spare keys included.

12.10 Dual heated mirrors with left hand and right hand remote, mounted on doors.

12.11 Left and right side 8 inch convex mirrors mounted under primary mirrors.

12.12 Exterior sun visor mounted on cab, painted white.

12.13 Rear window (state size).

12.14 Rear license plate mount end of frame.

12.15 Manual door window winders.	_____	_____	_____
12.16 8 litre windshield washer reservoir.	_____	_____	_____
12.17 Dual, intermittent wipers.	_____	_____	_____
12.18 Multispeed heater and defroster with air conditioning.	_____	_____	_____
12.19 AM/FM radio with Bluetooth, USB and 2 speakers (minimum) in cab.	_____	_____	_____
12.20 Drivers seat, air ride high back seat with all ergonomic adjustments and arm rests.	_____	_____	_____
12.21 Passenger seat basic high back non suspension.	_____	_____	_____
12.22 Both seats to have seat covers.	_____	_____	_____
12.23 Moulded arm rests on each door.	_____	_____	_____
12.24 Floor covering shall be vinyl, driver and passenger fitted floor mats added.	_____	_____	_____
12.25 Adjustable tilt & telescopic steering column.	_____	_____	_____
12.26 Door activated dome lamp mounted on roof.	_____	_____	_____
12.27 Driver and passenger sun visors.	_____	_____	_____
12.28 Gauges: fuel, speed(km/hr), tachometer, engine hour, def, volt meter, oil pressure, coolant temp, transmission temp, primary and secondary air pressure, (with indicator lamp and audible alarm) mounted in drivers instrument panel.	_____	_____	_____
12.29 Self cancelling turn signal switch with integral hazard switch.	_____	_____	_____
12.30 Marker and headlamp switch with dimmer for dash lamps.	_____	_____	_____
12.31 5lb fire extinguisher (mounted) and reflector kit.	_____	_____	_____

12.32 HD onboard diagnostics interface connector located left hand side below dash.

13. Dump Box

13.1 Dump box capacity approximately 12-16 yards (specify make, model and size of box).

13.2 Box sides to accommodate 2"x 10" sideboards.

13.3 Positive lock greasable tailgate locks, controlled in cab.

13.4 1/4in Hardox 450 steel floor.

13.5 Box to be painted with corrosion resistant gray or silver paint (specify details on paint and process).

13.6 Dump box safety prop.

13.7 Shovel and rake holder at bulkhead left hand side.

13.8 Left side step(s) and support handles to assist on checking load.

13.9 High lift tailgate, hydraulic, with control in cab.

13.10 Air assisted tarp system with control in cab.

13.11 Tool box, mounted on frame below dump box. Approximate size 24"w x 18"l x 18"d (specify exact size, location and build material).

13.12 Mud flaps mounted forward and rear of tandem axles.

13.13 Led lighting in accordance with British Columbia motor vehicle safety standards and motor vehicle regulations.

Hydraulic system

13.14 Electric, hot shift PTO and hydraulic pump designed to function dump box and high lift gate requirements. (specify make and model).

13.15 Telescoping hydraulic hoist cylinder mounted outside of box with control in cab. Controls shall have feather capability. (specify hydraulic valve and engagement).

13.16 Eaton hydraulic hose preferred, hose ends shall be JIC (specify if other).

13.17 Hydraulic tank with sufficient volume to provide full operation and adequate cooling (specify size and mount location).

13.18 Console mounted in cab for all dump box functions and switches, ergonomically accessible to driver.

14.Manuals

14.1 One parts manual, an operation and maintenance manual, a shop manual, a complete wiring schematic, and a manufacturers line sheet to be supplied with the unit (specify hard copy and/or CD).

15.Guarantee and after-sales service

15.1 The completed unit must meet all BC motor vehicle regulations and 2017 mandatory emission requirements. The unit shall have a full pre-delivery inspection and BC motor vehicle inspection prior to delivery to the City.

15.2 The unit shall be covered by a factory 12 month/unlimited km warranty, including parts and labour, beginning upon delivery to the City.

15.3 Provide local dealer warranty, service and replacement parts. (state location of nearest facility with factory authorised parts and technician).

DELIVERY SCHEDULE

Following notification of acceptance and issuance of a City of Rossland Purchase Order the Equipment shall be delivered FOB Public Works Yard, 1778 3rd Avenue, Rossland BC on or before September 1, 2017.

WARRANTY

The supplier shall provide a full statement of the warranty period and terms, for items listed in schedule A.

Please provide extended warranty options and costs for the engine, transmission and power train for both 3 year 30,000km and 5 year 50,000km.

REFERENCES

Please provide at least three references in the space provided below. The City may contact these references at its discretion. In addition, the City may also contact any other organization it deems relevant in order to evaluate the Bidders ability to supply the equipment.

OPTIONS

The City of Rossland may consider equipment options. Dealers may recommend and quote separately any options they feel are beneficial or desirable. Do not list or price any options in the basic tender.

SCHEDULE "B"
TENDER FORM

This page and all the Tender Form pages, including the one with the signature block, must be submitted, i.e. pages 10 to 19 inclusive. GST and PST is payable by the City of Rossland to the Supplier (where applicable) and should not be included in unit prices.

Having carefully read and examined the Tender including the Minimum Specifications and all addenda, and having full knowledge of the requirements described therein, offer to provide the specified Equipment in accordance with the pricing set out below in CANADIAN FUNDS.

2017 Tandem Dump Truck				
Description		Quantity	Unit Cost	Total Cost
_____		1	\$	\$
(description of truck) (includes assembly, delivery and all duties, freight, etc. excluding any applicable GST or PST).				
SUBTOTAL				\$
	GST	\$		
	PST	\$		
TOTAL				\$
Trade In				
One 2000 Freightliner FL106 Tandem Dump (vin 1FVX8HCB2YHG18055) with 160,000km and 8,600hrs.				
One 1998 Freightliner FL70 Flat Deck (vin 1FV6HFBA5XHA69653) with 24,000km and 1,040hrs.				
TANDEM VALUE OF TRADE IN				\$
FLAT DECK VALUE OF TRADE IN				\$

Dated at _____ this _____ day of _____ 2017

(Signature of Authorized Person)

ADDENDA

The Bidder acknowledges receipt of the following addenda issued by the City of Rossland:

Addendum No. _____ dated _____

Addendum No. _____ dated _____

Addendum No. _____ dated _____

Legal Name of Business _____

Address _____

City _____

Postal Code _____

Telephone number _____

Fax number _____

Email address _____

The undersigned agrees to be bound by the terms and conditions of this Invitation to Tender and to supply (including assembly and delivery) the Equipment described in the Tender Form at the prices quoted. If a Purchase Order is issued by the City of Rossland to the undersigned, the undersigned will be bound by and will comply with the terms and conditions contained in the Invitation to Tender, the Bidder's accepted Bid and the Purchase Order which together will constitute the full and complete agreement between the parties.

Name

Title

Signature

Signature of Witness or Corporate Seal

Date

2000 Freightliner FL 106



1998 Freightliner FL70

